

# PORTLAND SERIES

The terrazzo look without the associated maintenance.

**PORTLAND** series is available in the modular sizing with four contemporary colourways suitable for all environments through the matt and grip finishes.



**PRODUCT TYPE:** Glazed porcelain

**COLOURS:** White, Taupe, Grey and Charcoal

**SIZES:** 300x300mm, 300x600mm and 600x600mm  
Rectified Edges


**FINISHES/USAGE:** Matt and Grip/Wall and Floor

**AESTHETIC QUALITIES:** Terrazzo look

**ORIGIN:** N/A

**TECHNICAL DATA:** P3 Pendulum Slip Rating (Matt)  
P5 Pendulum Slip Rating (Grip)  
More technical data on last page

**VARIATION:**



V1

# PORTLAND SERIES

## PRODUCT INFORMATION



### White

Matt 300x300mm | 300x600mm | 600x600mm




### Grey

Matt 300x300mm | 300x600mm | 600x600mm  
Grip 300x600mm



### Taupe

Matt 300x300mm | 300x600mm | 600x600mm  
Grip 300x600mm



### Charcoal

Matt 300x300mm | 300x600mm | 600x600mm  
Grip 300x600mm



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

# PORTLAND SERIES







## LIFESTYLE IMAGES



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

# PORTLAND SERIES

## TECHNICAL DATA

	technical characteristics Group B I a	test method	required values	value
	water absorption	iso 10545-3	≤ 0.5%	0.21%
	bending strength	iso 10545-4	≥ 12MPA	≥ 33.5MPA
	breaking strength (S)	iso 10545-4	≥ 350 N	≥ 1785N
	abrasion resistace	iso 10545-7	Max. 175 mm <sup>3</sup> PEI 1-5	Class 3
	chemical resistance	iso 10545-13	Household chemicals and swimming pool salts  Low concentration of acids and alkalis	GA  GLA
	stain resistance	iso 10545-14	Minimum Class 3	Class 5